NOV 0 5 2007

PTO/SB/08B (04-07)

Uni	der the Paperwork Red	uction A	ct of 1995, no persons as	U.S. Patent to required to respond to a collection	Approved for use through 09/30/2007, CMB 0831-0931 and Trademark Office; U.S. DEPARTMENT OF COMMERCE of Information unless it contains a valid OMR control number.		
Substitu	te for form 1449/PTO			Complete If Known			
Cascallate to full 1445/10				Application Number	10/658,449		
			CLOSURE	Filing Date	September 09, 2003		
STATEMENT BY APPLICANT				First Named Inventor	Mark Reiley		
	(Use as many she		account!	Art Unit	3738		
(Ost as many should as necessary)				Examiner Name	ISABELLA, DAVID J		
Sheet	1	of	1	Attorney Docket Number	10002-701.407		
-	l'	J 31	1.		10004-7017-707		

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
	384	REILEY, MARK; U.S. Pat. App. # 11/839,434 entitled "Facet arthroplasty devices and methods", filed 8/15/2007.	
	385	REILEY, MARK; U.S. Pat. App. # 11/824,012 entitled "Facet arthroplasty device and methods," filed 6/29/2007.	
	388	REILEY, MARK; U.S. Pat. App. # 11/831,870 entitled "Prostheses systems and methods for replacement of natural facet joints with artificial facet joint surfaces," filed 7/31/2007.	
	387	RALPH et el; U.S. Pet. App. # 11/837,335 entitled "Angled Washer Polyaxial Connection for Dynamic Spine' Prostheele," filed 8/10/2007.	
	388	REILEY, MARK; U.S. Pat. App. # 11/775.174 entitled * Facet arthroplasty devices and methods,* filed 7/9/2007.	
	389	STONE et al; U.S. Pat. App. # 11/861,239 entitled "Facet Replacement Device Removal and Revision Systems and Methods" filed 9/25/2007.	
		*	

L	Signature /Christopher Prone/	Considered	02/24/2009

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-788-9199) and select option 2.

[&]quot;EXAMINET. Initial I'reference considered, whether or not district in \$8 no. conformance with MCPE Pails. Draw the Brough distool if not in conformance and not considered, include only of this form with each construction to applicable.

The conformance is a reference of the conformance of the conformance is a reference of the conformance of the conforma Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.